

# Single Pole Connector for the Earth-Rite® MULTIPOINT II



Single Pole Connectors for Earth-Rite MULTIPOINT II



The **Earth-Rite MULTIPOINT II's** single pole connectors provide a flexible means of connecting and disconnecting Earth-Rite MULTIPOINT II systems to a range of plant equipment being monitored for static grounding protection purposes.

The bayonet press fit design of the connectors means that items of equipment regularly disassembled for cleaning and maintenance, or frequently moved around the plant, can be quickly connected to, or disconnected from, the Earth-Rite MULTIPOINT II system.



## Description

Female connector (crimped to single core cable)

## Dimensions

28 mm (1.10") overall length x 20 mm (0.787") (outer diameter)  
Single core cable dimensions Ø4 mm (0.157") coated to Ø 5.9 mm (0.232")

## Material

Nickel plated brass

## Description

Male connector (fitted to monitored plant equipment)

## Dimensions

Thread: M6 x 18 mm (0.709") thread length (35 mm (1.378") overall length)

## Material

Nickel plated brass

## Description

Panel mount socket with insulating plastic cover

## Dimensions

40 mm (1.57") (overall length) x 23.5 mm (0.925") (outer diameter)

## Material

Nickel plated brass

### Copyright Notice

The website and its content is copyright of Newson Gale Ltd © 2020. All rights reserved.

Any redistribution or reproduction of part or all of the contents in any form is prohibited other than the following:

- you may print or download to a local hard disk extracts for your personal and noncommercial use only
- you may copy the content to individual third parties for their personal use, but only if you acknowledge the website as the source of the material

You may not, except with our express written permission, distribute or commercially exploit the content. Nor may you transmit it or store it in any other website or other form of electronic retrieval system.

### Right to change

This document provides general information only and may be subject to change at any time without notice. All information, representations, links or other messages may be changed by Newson Gale at any time without prior notice or explanation.

Newson Gale is not obliged to remove any outdated information from its content or to expressly mark it as being outdated. Please seek the advice of professionals as necessary regarding the evaluation of any content.

### Disclaimer of liability

The information provided in this Datasheet is provided by Newson Gale without any representations or warranties, expressed or implied, as to its accuracy or completeness. The liability of Newson Gale for any expenses, losses or actions incurred whatsoever by the recipient as a result of the use of this Datasheet shall be excluded.

Leading the way in hazardous area static control



[www.newson-gale.com](http://www.newson-gale.com)

1/1

United Kingdom  
Newson Gale Ltd  
Omega House  
Private Road 8  
Colwick, Nottingham  
NG4 2JX, UK  
+44 (0)115 940 7500  
[groundit@newson-gale.co.uk](mailto:groundit@newson-gale.co.uk)

United States  
IEP Technologies LLC  
417-1 South Street  
Marlborough, MA 01752  
USA  
+1 732 961 7610  
[groundit@newson-gale.com](mailto:groundit@newson-gale.com)

Deutschland  
IEP Technologies GmbH  
Kaiserswerther Str. 85C  
40878 Ratingen  
Germany  
+49 (0)2102 58890  
[erdung@newson-gale.de](mailto:erdung@newson-gale.de)